

STREET LANTERN



GNS-LT007



Product Characters :-

- Body : High quality die-cast aluminum alloy
- Lens : Clear polycarbonate
- Gasketing : Thermostable silica gel to improve protection class
- Fastener : Stainless steel with high intensity and corrosion protection
- Circuit Protection : Power Supply with Over Voltage Protection, Short Circuit Protection, and Over Current Protection. Light Source with Over Temperature Protection


Applications :-

Streets, highways, villas, parks, garden, squares etc.

Specifications :-

Item No.	GNS-LT007
Power	120W 150W 180W
LED Type	CREE XPG2
Voltage	AC85-305V, 50/60Hz
Luminous Flux	120W : $\geq 10800\text{lm}$ 150W : $\geq 13500\text{lm}$ 180W : $\geq 16200\text{lm}$
Luminous Efficiency	$\geq 90\text{lm/W}$
Color Temperature (CCT)	3000K/4000K/6500K
Coloring Index, CRI	>70
Power Factor	>0.96
Beam Angle	60° , 150°
Driver	Meanwell HLG
Working Temp.	$-20^\circ\text{C} \sim 50^\circ\text{C}$
Operating Humidity	$10\% \sim 90\% \text{RH}$
Protection Class	IP66
Lifespan	50,000 Hrs
Material	Aluminum / PC

Dimensions (mm) :-



GNS-LT007

Photometric Data :-

